Journal of Testing and Evaluation
Author Index
Volume 30, 2002

Number	Month of Issue	Pages
1	January	1–93
2	March	95–177
3	May	179–261
4	July	263–366
5	September	369–458
6	November	461–553

A

Abbas, A, Choi, BC, Masad, E, and Papagiannakis, T: The Influence of Laboratory Aging Method on the Rhological Properties of Asphalt Binders, March, 171

Abd-Allah, NM, Megahed, MM, and Eleiche, AM: Fatigue Crack Growth in Cantilever Bending Under Displacement Control, March, 124

Abdel-Magied, O: *see* Sabaaly, PE, Abdel-Magied, O, Dunn, M, and Brinkmeyer, W

Adams, HA: *see* Rosenbluth, W and Adams, HA

Ali Al-Battashi, S: *see* Fletcher, DI, Ali Al-Battashi, S, and Kapoor, A

Allam, MM: *see* Subba Rao, KS, Allam, MM, and Robinson, RG

Amigo, V: *see* López, FS, Ferrer, C, Salvador, MD, and Amigo, V

Ayad, R, Safa, L, and Marull, S: Effect of the Aging of the "Product/Package" System on the Mechanical Properties of Plastic Packaging, Jan., 55

B

Barbu, A: *see* Jumel, S, Domain, C, Ruste, J, Van Duysen, JC, Becquart, C, Legris, A, Pareige, P, Barbu, A, van Walle, E, Chaouadi, R, Hou, M, Odette, GR, Stoller, RE, and Wirth, BD

Becquart, C: *see* Jumel, S, Domain, C, Ruste, J, Van Duysen, JC, Becquart, C, Legris, A, Pareige, P, Barbu, A, van Walle, E, Chaouadi, R, Hou, M, Odette, GR, Stoller, RE, and Wirth, BD

Beeson, HD: *see* Hirsch, DB and Beeson, HD

Belloni, G, Gariboldi, E, Lo Conte, A, Tono, M, and Speranzoso, P: On the Experimental Calibration of a Potential Drop System for Crack Length Measurements in a Compact Tension Specimen, Nov., 461

Blau, PJ: Review of: Wear Analysis for Engineers, Sept., 457

Boivin, WS:
see Kerr, LN, Boivin, WS, Chaput, MP, Hamilton, SL, Mailhot, SA, O'Malley, LG, and Teixeira, JC
see Kerr, LN, Mailhot, SA, Boivin, WS, Hamilton, SL, O'Malley, LG, Boyd, SM, Pierdominici, Jr., VJB, and Bushar, HF
see Kerr, LN, Boivin, WS, Chaput, MP, Hamilton, SL, Mailhot, SA, O'Malley, LG, and Teixeira, JC
see Kerr, LN, Mailhot, SA, Boivin, WS, Hamilton, SL, O'Malley, LG, Boyd, SM, Pierdominici, Jr., VJB, and Bushar, HF

Bouchard, R: *see* Wang, H, Bouchard, R, Eagleson, R, Martin, P, and Tyson, WR

Boyd, SM: *see* Kerr, LN, Mailhot, SA, Boivin, WS, Hamilton, SL, O'Malley, LG, Boyd, SM, Pierdominici, Jr., VJB, and Bushar, HF

Brinkmeyer, W: *see* Sabaaly, PE, Abdel-Magied, O, Dunn, M, and Brinkmeyer, W

Bushar, HF: *see* Kerr, LN, Mailhot, SA, Boivin, WS, Hamilton, SL, O'Malley, LG, Boyd, SM, Pierdominici, Jr., VJB, and Bushar, HF

C

Carlson, RL and Halliday, MD: An Extrapolation Method for Estimating Crack Growth Rate Confidence Intervals from Small Fatigue Crack Data, May, 179

Fletcher, T, Chandan, C, Masad, E, and Sivakumar, K: Measurement of Aggregate Texture and its Influence on Hot Mix Asphalt (HMA) Permanent Deformation, Nov., 524

Chaouadi, R: *see* Jumel, S, Domain, C, Ruste, J, Van Duysen, JC, Becquart, C, Legris, A, Pareige, P, Barbu, A, van Walle, E, Chaouadi, R, Hou, M, Odette, GR, Stoller, RE, and Wirth, BD

Chaput, MP: *see* Kerr, LN, Boivin, WS, Chaput, MP, Hamilton, SL, Mailhot, SA, O'Malley, LG, and Teixeira, JC

Chavarria, R: *see* Kolman, DG and Chavarria, R

Chen, J-S and Lin, KY: Evaluation of an Accelerated Pavement Testing Facility and Development of its Load Equivalence Factors, March, 103

Chen, Y: Instrumental Method to Evaluate Leather Compressive Properties, May, 258

Choi, BC: *see* Abbas, A, Choi, BC, Masad, E, and Papagiannakis, T

Collier, MA: *see* Montemayor, RG, Collier, MA, and Lazarczyk, GG

Conway, Jr, JC: *see* Sipics, MJ, Segall, AE, and Conway, Jr, JC

D

DeJong, JT, Frost, JD, and Saussus, DR: Measurement of Relative Surface Roughness at Particulate-Continuum Interfaces, Jan., 8

deWit, R: *see* Ma, L, Low, L, Zhou, J, Song, J, and deWit, R

Dogan, ON: *see* Schrems, KK, Dogan, ON, and Hawk, JA

Domain, C: *see* Jumel, S, Domain, C, Ruste, J, Van Duysen, JC, Becquart, C, Legris, A, Pareige, P, Barbu, A, van Walle, E, Chaouadi, R, Hou, M, Odette, GR, Stoller, RE, and Wirth, BD

Dunn, M: *see* Sabaaly, PE, Abdel-Magied, O, Dunn, M, and Brinkmeyer, W

E

Eagleson, R: *see* Wang, H, Bouchard, R, Eagleson, R, Martin, P, and Tyson, WR

Eleiche, AM: *see* Abd-Allah, NM, Megahed, MM, and Eleiche, AM

Enami, K: *see* Yoshida, N, Enami, K, and Hosokawa, K

F

Ferrer, C: *see* López, FS, Ferrer, C, Salvador, MD, and Amigo, V

Fletcher, DI, Ali Al-Battashi, S, and Kapoor, A: Experimental Assessment of Materials for Indirect Surface Texturing, Nov., 501

Fletcher, T, Chandan, C, Masad, E, and Sivakumar, K: Measurement of Aggregate Texture and its Influence on Hot Mix Asphalt (HMA) Permanent Deformation, Nov., 524

Fonseca de Arruda, AC: *see* Maschio, C and Fonseca de Arruda, AC

Frost, JD: *see* DeJong, JT, Frost, JD, and Saussus, DR

G

Gariboldi, E: *see* Belloni, G, Gariboldi, E, Lo Conte, A, Tono, M, and Speranzoso, P

Glaser, RA, Shulman, S, Kurimo, R, and Piacitelli, G: Data Supporting a Provisional ASTM Method for Metalworking Fluids, Sept., 439

Godavarti, PS: *see* Samba Siva Rao, G, Godavarti, PS, Mahmood, ST, and Linga Murty, K

Gomez, JT, Shukla, A, and Sharma, A: Photoelastic Evaluation of Stress Fields and Fracture During Dynamic Splitting Experiments, May, 186

Green, DJ: *see* Krohn, MH, Hellmann, JR, Shelleman, DL, Green, DJ, Sakoske, GE, and Salem, JA

Gupta, R, Heck, LR, and Miller, TH: Experimental Evaluation of the Torsion Test for Determining Shear Strength of Structural Lumber, July, 283

Gupta, R, Heck, LR, and Miller, TH: Finite-Element Analysis of the Stress Distribution in a Torsion Test of Full-Size, Structural Lumber, July, 291

H

Halliday, MD: *see* Carlson, RL and Halliday, MD

Hamilton, SL:
see Kerr, LN, Boivin, WS, Chaput, MP, Hamilton, SL, Mailhot, SA, O'Malley, LG, and Teixeira, JC
see Kerr, LN, Mailhot, SA, Boivin, WS, Hamilton, SL, O'Malley, LG, Boyd, SM, Pierdominici, Jr., VJB, and Bushar, HF
see Kerr, LN, Boivin, WS, Chaput, MP, Hamilton, SL, Mailhot, SA, O'Malley, LG, and Teixeira, JC

Hamilton, SL: *see* Kerr, LN, Mailhot, SA, Boivin, WS, Hamilton, SL, O'Malley, LG, Boyd, SM, Pierdominici, Jr., VJB, and Bushar, HF

Hanson, JH and Ingraffea, AR: Compression Loading Applied to Round Double Beam Fracture Specimens. I: Application to Materials with Large Characteristic Lengths, Nov., 508

Hanson, JH and Ingraffea, AR: Compression Loading Applied to Round Double Beam Fracture Specimens. II: Derivation of Geometry Factor, Nov., 515

Hawk, JA: *see* Schrems, KK, Dogan, ON, and Hawk, JA

Heck, LR: *see* Gupta, R, Heck, LR, and Miller, TH

Hellmann, JR: *see* Krohn, MH, Hellmann, JR, Shelleman, DL, Green, DJ, Sakoske, GE, and Salem, JA

Hirsch, DB and Beeson, HD: Test Method to Determine Flammability of Aerospace Materials, March, 156

Ho, Y-S: *see* Mamlouk, MS, Witczak, MW, Kaloush, KE, and Ho, Y-S

Hobson, K: *see* Tarefder, RA, Zaman, MM, and Hobson, K

Hosokawa, K: *see* Yoshida, N, Enami, K, and Hosokawa, K

Hou, M: *see* Jumel, S, Domain, C, Ruste, J, Van Duysen, JC, Becquart, C, Legris, A, Pareige, P, Barbu, A, van Walle, E, Chaouadi, R, Hou, M, Odette, GR, Stoller, RE, and Wirth, BD

Hung, HY: *see* Mo, YL, Hung, HY, and Zhong, J

Hutchinson, TP: The Relation Between an Extreme Proportion and a Less Extreme Proportion, in the Context of the Comparability of Tests, May, 255

Hwang, IS: *see* Oh, YJ, Kim, JH, and Hwang, IS

I

Ingraffea, AR: *see* Hanson, JH and Ingraffea, AR

Ismaeel, AA: Scheduling of Pipelined Data Paths for On-Line Testability, March, 146

J

Jumel, S, Domain, C, Ruste, J, Van Duysen, JC, Becquart, C, Legris, A, Pareige, P, Barbu, A, van Walle, E, Chaouadi, R, Hou, M, Odette, GR, Stoller, RE, and Wirth, BD: Simulation of Irradiation Effects in Reactor Pressure Vessel Steels: the Reactor for Virtual Experiments (REVE) Project, Jan., 37

K

Kaloush, KE: *see* Mamlouk, MS, Witczak, MW, Kaloush, KE, and Ho, Y-S

Kaneshiro, H: *see* Makabe, C, Makishi, T, and Kaneshiro, H

Kapoor, A: *see* Fletcher, DI, Ali Al-Battashi, S, and Kapoor, A

Katase, Y: *see* Ohgushi, K, Ueda, K, Ota, T, and Katase, Y

Kerr, LN, Mailhot, SA, Boivin, WS, Hamilton, SL, O'Malley, LG, Boyd, SM, Pierdominici, Jr., VJB, and Bushar, HF: Use of Surfactants in Condom Water Leak Testing, July, 313

Kerr, LN, Boivin, WS, Chaput, MP, Hamilton, SL, Mailhot, SA, O'Malley, LG, and Teixeira, JC: The Effect of Simulated Clinical Use on Vinyl and Latex Exam Glove Durability, Sept., 415

Kim, JH: *see* Oh, YJ, Kim, JH, and Hwang, IS

Kolman, DG and Chavarria, R: Liquid-Metal Embrittlement of 7075 Aluminum and 4340 Steel Compact Specimens by Gallium, Sept., 452

Krishna, KC: *see* Pandian, NS and Krishna, KC

Krohn, MH, Hellmann, JR, Shelleman, DL, Green, DJ, Sakoske, GE, and Salem, JA: Test Methodology for Strength Testing of Soda-Lime-Silica Float Glass Before and After Enameling, Nov., 470

Kumano, H: *see* Soyama, H and Kumano, H

Kuo, CY: Correlating Permanent Deformation Characteristics of Hot Mix Asphalt with Aggregate Geometric Irregularities, March, 137

Kurimo, R: *see* Glaser, RA, Shulman, S, Kurimo, R, and Piacitelli, G

L

Larsson, PL and Mitre Peterson, IR: Evaluation of Sharp Indentation Testing of

Thin Films and Ribbons on Hard Substrates, Jan., 64

Lazarczyk, GG: *see* Montemayor, RG, Collier, MA, and Lazarczyk, GG

Legris, A: *see* Jumel, S, Domain, C, Ruste, J, Van Duysen, JC, Becquart, C, Legris, A, Pareige, P, Barbu, A, van Walle, E, Chaouadi, R, Hou, M, Odette, GR, Stoller, RE, and Wirth, BD

Li, S, Li, Y, and Metcalfe, JB: Enhancement of Asphalt Pavement Evaluation Using Monte Carlo Simulation and Accelerated Pavement Testing, Sept., 392

Li, Y: *see* Li, S, Li, Y, and Metcalfe, JB

Lin, KY: *see* Chen, J-S and Lin, KY

Ling, X and Tu, S: Measurement of Creep Damage by the Natural Frequency Method, May, 251

Linga Murty, K: *see* Samba Siva Rao, G, Godavarti, PS, Mahmood, ST, and Linga Murty, K

Lo Conte, A: *see* Belloni, G, Gariboldi, E, Lo Conte, A, Tono, M, and Speranzoso, P

López, FS, Ferrer, C, Salvador, MD, and Amigo, V: Flexural Characteristics of Sunlight-Aged Polyester Composites: Influence of Processing Variables, Jan., 20

Low, L: *see* Ma, L, Low, L, Zhou, J, Song, J, and deWit, R

Luko, SN: *see* Proctor, CH and Luko, SN

M

Ma, L, Low, L, Zhou, J, Song, J, and deWit, R: Simulation and Prediction of Hardness Performance of Rockwell Diamond Indenters Using Finite-Element Analysis, July, 265

Mahmood, ST: *see* Samba Siva Rao, G, Godavarti, PS, Mahmood, ST, and Linga Murty, K

Mailhot, SA:
see Kerr, LN, Boivin, WS, Chaput, MP, Hamilton, SL, Mailhot, SA, O'Malley, LG, and Teixeira, JC
see Kerr, LN, Mailhot, SA, Boivin, WS, Hamilton, SL, O'Malley, LG, Boyd, SM, Pierdominici, Jr., VJB, and Bushar, HF
see Kerr, LN, Boivin, WS, Chaput, MP, Hamilton, SL, Mailhot, SA, O'Malley, LG, and Teixeira, JC
see Kerr, LN, Mailhot, SA, Boivin, WS, Hamilton, SL, O'Malley, LG, Boyd, SM, Pierdominici, Jr., VJB, and Bushar, HF

Makabe, C, Makishi, T, and Kaneshiro, H: Fatigue Mechanism of Ion-Nitrided Low Carbon Steel, Sept., 408

Makishi, T: *see* Makabe, C, Makishi, T, and Kaneshiro, H

Mamlouk, MS, Witczak, MW, Kaloush, KE, and Ho, Y-S: Effect of Anisotropy on Compressive and Tensile Properties of Asphalt Mixtures, Sept., 432

Martin, P: *see* Wang, H, Bouchard, R, Eagleson, R, Martin, P, and Tyson, WR

Marull, S: *see* Ayad, R, Safa, L, and Marull, S

Masad, E:
see Abbas, A, Choi, BC, Masad, E, and Papagiannakis, T
see Fletcher, T, Chandan, C, Masad, E, and Sivakumar, K
see Saadeh, S, Tashman, L, Masad, E, and Mogawer, W
see Abbas, A, Choi, BC, Masad, E, and Papagiannakis, T
see Fletcher, T, Chandan, C, Masad, E, and Sivakumar, K
see Saadeh, S, Tashman, L, Masad, E, and Mogawer, W

Maschio, C and Fonseca de Arruda, AC: Using X-ray Computerized Tomography for Characterization of Defects in Cartridge Filters, Jan., 85

Megahed, MM: *see* Abd-Allah, NM, Megahed, MM, and Eleiche, AM

Metcalfe, JB: *see* Li, S, Li, Y, and Metcalfe, JB

Miller, TH: *see* Gupta, R, Heck, LR, and Miller, TH
see Gupta, R, Heck, LR, and Miller, TH

Mitre Peterson, IR: *see* Larsson, PL and Mitre Peterson, IR

Mo, YL, Hung, HY, and Zhong, J: Investigation of Stress-Strain Relationship of Confined Concrete in Hollow Bridge Columns Using Neural Networks, July, 330

Mogawer, W: *see* Saadeh, S, Tashman, L, Masad, E, and Mogawer, W

Montemayor, RG, Collier, MA, and Lazarczyk, GG: Precision and Equivalence of Automatic and Manual Flash Point Apparatus, Jan., 74

Montemayor, RG: Precision and Relative Bias of Automatic and Manual Refractometers Using ASTM D 1218 at 20°C, Jan., 89

Montemayor, RG: Precision and Relative Bias of Automatic and Manual D 1078 Distillation, March, 165

N

Nishi, M: *see* Yoshida, N and Nishi, M

Nishimura, T: Fatigue Performance of Open Drilled Holes with Burrs, Nov., 478

Noda, NA and Takase, Y: Stress Concentration Factor Formulas Useful for All Notch Shapes in a Flat Test Specimen Under Tension and Bending, Sept., 369

Nübel, K and Weitbrecht, V: Visualization of Localization in Grain Skeletons with Particle Image Velocimetry, July, 322

O

Odette, GR: *see* Jumel, S, Domain, C, Ruste, J, Van Duysen, JC, Becquart, C, Legris, A, Pareige, P, Barbu, A, van Walle, E, Chaouadi, R, Hou, M, Odette, GR, Stoller, RE, and Wirth, BD

Oh, YJ, Kim, JH, and Hwang, IS: Dynamic Loading Fracture Tests of Ferritic Steel Using the Direct Current Potential Drop Method, May, 221

Ohgushi, K, Ueda, K, Ota, T, and Katase, Y: Sensitivity Evaluation of a Disk-type Torque Transducer Used as a Transfer Device, March, 160

O'Malley, LG:
see Kerr, LN, Boivin, WS, Chaput, MP, Hamilton, SL, Mailhot, SA, O'Malley, LG, and Teixeira, JC
see Kerr, LN, Mailhot, SA, Boivin, WS, Hamilton, SL, O'Malley, LG, Boyd, SM, Pierdominici, Jr., VJB, and Bushar, HF
see Kerr, LN, Boivin, WS, Chaput, MP, Hamilton, SL, Mailhot, SA, O'Malley, LG, and Teixeira, JC
see Kerr, LN, Mailhot, SA, Boivin, WS, Hamilton, SL, O'Malley, LG, Boyd, SM, Pierdominici, Jr., VJB, and Bushar, HF

Ota, T: *see* Ohgushi, K, Ueda, K, Ota, T, and Katase, Y

Ouis, D: An Acoustical Technique for Determining the Loss Factor of Solid Materials, Nov., 497

P

Pandian, NS and Krishna, KC: California Bearing Ratio Behavior of Cement-Stabilized Fly Ash-Soil Mixes, Nov., 492

Papagiannakis, T: *see* Abbas, A, Choi, BC, Masad, E, and Papagiannakis, T

Pareige, P: *see* Jumel, S, Domain, C, Ruste, J, Van Duysen, JC, Becquart, C, Legris, A, Pareige, P, Barbu, A, van Walle, E, Chaouadi, R, Hou, M, Odette, GR, Stoller, RE, and Wirth, BD

Petersen, DR: Letter from the Editor, July, 263

Piacitelli, G: *see* Glaser, RA, Shulman, S, Kurimo, R, and Piacitelli, G

Pierdominici, Jr., VJB: *see* Kerr, LN, Mailhot, SA, Boivin, WS, Hamilton, SL,

O'Malley, LG, Boyd, SM, Pierdominici, Jr., VJB, and Bushar, HF

Proctor, CH and Luko, SN: On Bounding a Near-Zero Probability when Zero Occurrences Appear in a Sample, May, 245

R

Ramsamooj, DV: Analytical Model for Fatigue Crack Propagation in Concrete, July, 340

Robinson, RG: *see* Subba Rao, KS, Allam, MM, and Robinson, RG

Rosenbluth, W and Adams, HA: Retrieval and Interpretation of Crash-Related Data from Nonresponsive Electronic Control Units in Land Vehicle Systems, July, 350

Ruste, J: *see* Jumel, S, Domain, C, Ruste, J, Van Duysen, JC, Becquart, C, Legris, A, Pareige, P, Barbu, A, van Walle, E, Chaouadi, R, Hou, M, Odette, GR, Stoller, RE, and Wirth, BD

S

Saadeh, S, Tashman, L, Masad, E, and Mogawer, W: Spatial and Directional Distribution of Aggregates in Asphalt Mixes, Nov., 483

Sabaaly, PE, Abdel-Magied, O, Dunn, M, and Brinkmeyer, W: Influence of Hot-Mix Asphalt Parameters on the Correction Factors of the Ignition Oven Test, May, 228

Safa, L: *see* Ayad, R, Safa, L, and Marull, S

Sakoske, GE: *see* Krohn, MH, Hellmann, JR, Shelleman, DL, Green, DJ, Sakoske, GE, and Salem, JA

Salem, JA: *see* Krohn, MH, Hellmann, JR, Shelleman, DL, Green, DJ, Sakoske, GE, and Salem, JA

Salvador, MD: *see* López, FS, Ferrer, C, Salvador, MD, and Amigo, V

Samba Siva Rao, G, Godavarti, PS, Mahmood, ST, and Linga Murty, K: Plastic Instability and Mechanical Anisotropy of Textured Zinc, May, 197

Saussus, DR: *see* DeJong, JT, Frost, JD, and Saussus, DR

Schrems, KK, Dogan, ON, and Hawk, JA: Verification of Thin-Wall Ductile Iron Test Methodology, Jan., 47

Segall, AE: *see* Sipics, MJ, Segall, AE, and Conway, Jr, JC

Sharma, A: *see* Gomez, JT, Shukla, A, and Sharma, A

Shelleman, DL: *see* Krohn, MH, Hellmann, JR, Shelleman, DL, Green, DJ, Sakoske, GE, and Salem, JA

Shenoy, A: Model-fitting the Master Curves of the Dynamic Shear Rheometer Data to Extract a Rut-Controlling Term for Asphalt Pavements, March, 95

Shenoy, A: Fatigue Testing and Evaluation of Asphalt Binders Using the Dynamic Shear Rheometer, July, 303

Shou-yi, W: *see* Xiao-bo, Z and Shou-yi, W

Shukla, A: *see* Gomez, JT, Shukla, A, and Sharma, A

Shulman, S: *see* Glaser, RA, Shulman, S, Kurimo, R, and Piacitelli, G

Sipics, MJ, Segall, AE, and Conway, Jr, JC: Evaluation of the Uniaxiality of the Stress State in O-Ring Fracture Strength Specimens, March, 118

Siriwardane, HJ and Smith, DH: Synthesis of Methane Hydrate in an Unconsolidated Medium, Jan., 1

Sivakumar, K: *see* Fletcher, T, Chandan, C, Masad, E, and Sivakumar, K

Sivakumar Babu, GL, Srinivasa Rao, BM, and Sridharan, A: Evaluation of Bearing Capacity Improvement Using Composite Grids, July, 362

Smith, DH: *see* Siriwardane, HJ and Smith, DH

Song, J: *see* Ma, L, Low, L, Zhou, J, Song, J, and deWit, R

Soyama, H and Kumano, H: The Fundamental Threshold Level—a New Parameter for Predicting Cavitation Resistance, Sept., 421

Speranzoso, P: *see* Belloni, G, Gariboldi, E, Lo Conte, A, Tono, M, and Speranzoso, P

Sridharan, A: *see* Sivakumar Babu, GL, Srinivasa Rao, BM, and Sridharan, A

Srinivasa Rao, BM: *see* Sivakumar Babu, GL, Srinivasa Rao, BM, and Sridharan, A

Steele, PH: *see* Yadama, V, Zhang, J, Syed, BM, and Steele, PH

Stoller, RE: *see* Jumel, S, Domain, C, Ruste, J, Van Duysen, JC, Becquart, C, Legris, A, Pareige, P, Barbu, A, van Walle, E, Chaouadi, R, Hou, M, Odette, GR, Stoller, RE, and Wirth, BD

Subba Rao, KS, Allam, MM, and Robinson, RG: An Apparatus for Evaluating Adhesion Between Soils and Solid Surfaces, Jan., 27

Syed, BM: *see* Yadama, V, Zhang, J, Syed, BM, and Steele, PH

T

Takase, Y: *see* Noda, NA and Takase, Y

Tarefder, RA, Zaman, MM, and Hobson, K: Evaluating the CoreLok™ Measurement of Bulk Specific Gravity for Hot Mix Asphalt Samples, July, 274

Tashman, L: *see* Saadeh, S, Tashman, L, Masad, E, and Mogawer, W

Teixeira, JC: *see* Kerr, LN, Boivin, WS, Chaput, MP, Hamilton, SL, Mailhot, SA, O'Malley, LG, and Teixeira, JC

Tono, M: *see* Belloni, G, Gariboldi, E, Lo Conte, A, Tono, M, and Speranzoso, P

Tu, S: *see* Ling, X and Tu, S

Tyson, WR: *see* Wang, H, Bouchard, R, Eagleson, R, Martin, P, and Tyson, WR

U

Ueda, K: *see* Ohgushi, K, Ueda, K, Ota, T, and Katase, Y

Ullrich, G: Application of a Relativistic Conservation Equation to Crack Initiation, May, 208

V

Van Duysen, JC: *see* Jumel, S, Domain, C, Ruste, J, Van Duysen, JC, Becquart, C, Legris, A, Pareige, P, Barbu, A, van Walle, E, Chaouadi, R, Hou, M, Odette, GR, Stoller, RE, and Wirth, BD

van Walle, E: *see* Jumel, S, Domain, C, Ruste, J, Van Duysen, JC, Becquart, C, Legris, A, Pareige, P, Barbu, A, van Walle, E, Chaouadi, R, Hou, M, Odette, GR, Stoller, RE, and Wirth, BD

W

Wang, H, Bouchard, R, Eagleson, R, Martin, P, and Tyson, WR: Ring Hoop Tension Test (RHTT): A Test for Transverse Tensile Properties of Tubular Materials, Sept., 382

Weitbrecht, V: *see* Nübel, K and Weitbrecht, V

Wirth, BD: *see* Jumel, S, Domain, C, Ruste, J, Van Duysen, JC, Becquart, C, Legris, A, Pareige, P, Barbu, A, van Walle, E, Chaouadi, R, Hou, M, Odette, GR, Stoller, RE, and Wirth, BD

Witczak, MW: *see* Mamlouk, MS, Witczak, MW, Kaloush, KE, and Ho, Y-S

X

Xiao-bo, Z and Shou-yi, W: Evaluating the Quality of Cigarettes by an Electronic Nose System, Nov., 532

Y

Yadama, V, Zhang, J, Syed, BM, and Steele, PH: Experimental Analysis of Multiple Staple Joints in Selected Wood and Wood-Based Materials, Sept., 400

Yoshida, N and Nishi, M: Influence of Suction Dissipation on Compression of Compacted Rock Aggregates Due to Immersion, March, 110

Yoshida, N, Enami, K, and Hosokawa, K: Staged Compression-Immersion Direct Shear Test on Compacted Crushed Mudstone, May, 239

Z

Zaman, MM: *see* Tarefder, RA, Zaman, MM, and Hobson, K

Zhang, J: *see* Yadama, V, Zhang, J, Syed, BM, and Steele, PH

Zhong, J: *see* Mo, YL, Hung, HY, and Zhong, J

Zhou, J: *see* Ma, L, Low, L, Zhou, J, Song, J, and deWit, R

Journal of Testing and Evaluation
Subject Index
Volume 30, 2002

A

Accelerated pavement testing
Enhancement of Asphalt Pavement Evaluation Using Monte Carlo Simulation and Accelerated Pavement Testing (Li, S, Li, Y, and Metcalfe, JB), Sept., 392

Acoustics
An Acoustical Technique for Determining the Loss Factor of Solid Materials (Ouis, D), Nov., 497

Adhesion
An Apparatus for Evaluating Adhesion Between Soils and Solid Surfaces (Subba Rao, KS, Allam, MM, and Robinson, RG), Jan., 27

Aerospace materials
Test Method to Determine Flammability of Aerospace Materials (Hirsch, DB and Beeson, HD), March, 156

Aggregates
Correlating Permanent Deformation Characteristics of Hot Mix Asphalt with Aggregate Geometric Irregularities (Kuo, CY), March, 137
Influence of Hot-Mix Asphalt Parameters on the Correction Factors of the Ignition Oven Test (Sabaaly, PE, Abdel-Magied, O, Dunn, M, and Brinkmeyer, W), May, 228
Influence of Suction Dissipation on Compression of Compacted Rock Aggregates Due to Immersion (Yoshida, N and Nishi, M), March, 110
Measurement of Aggregate Texture and its Influence on Hot Mix Asphalt (HMA) Permanent Deformation (Fletcher, T, Chandan, C, Masad, E, and Sivakumar, K), Nov., 524
Spatial and Directional Distribution of Aggregates in Asphalt Mixes (Saadeh, S, Tashman, L, Masad, E, and Mogawer, W), Nov., 483

Aging
Effect of the Aging of the "Product/Package" System on the Mechanical Properties of Plastic Packaging (Ayad, R, Safa, L, and Marull, S), Jan., 55
The Influence of Laboratory Aging Method on the Rhological Properties of Asphalt Binders (Abbas, A, Choi, BC, Masad, E, and Papagiannakis, T), March, 171

Air permeability testing
Using X-ray Computerized Tomography for Characterization of Defects in Cartridge Filters (Maschio, C and Fonseca de Arruda, AC), Jan., 85

Aluminum
Liquid-Metal Embrittlement of 7075 Aluminum and 4340 Steel Compact Specimens by Gallium (Kolman, DG and Chavarria, R), Sept., 452

Anisotropy
Effect of Anisotropy on Compressive and Tensile Properties of Asphalt Mixtures (Mamlouk, MS, Witczak, MW, Kaloush, KE, and Ho, Y-S), Sept., 432

Antilocking brake system
Retrieval and Interpretation of Crash-Related Data from Nonresponsive Electronic Control Units in Land Vehicle Systems (Rosenbluth, W and Adams, HA), July, 350

Asphalt pavement
Model-fitting the Master Curves of the Dynamic Shear Rheometer Data to Extract a Rut-Controlling Term for Asphalt Pavements (Shenoy, A), March, 95

Asphalt binders
Fatigue Testing and Evaluation of Asphalt Binders Using the Dynamic Shear Rheometer (Shenoy, A), July, 303
The Influence of Laboratory Aging Method on the Rhological Properties of Asphalt Binders (Abbas, A, Choi, BC, Masad, E, and Papagiannakis, T), March, 171

Asphalt mixtures
Effect of Anisotropy on Compressive and Tensile Properties of Asphalt Mixtures (Mamlouk, MS, Witczak, MW, Kaloush, KE, and Ho, Y-S), Sept., 432
Evaluating the CoreLok™ Measurement of Bulk Specific Gravity for Hot Mix Asphalt Samples (Tarefder, RA, Zaman, MM, and Hobson, K), July, 274

Asphalt pavement
Enhancement of Asphalt Pavement Evaluation Using Monte Carlo Simulation and Accelerated Pavement Testing (Li, S, Li, Y, and Metcalfe, JB), Sept., 392

Autocorrelation
On Bounding a Near-Zero Probability when Zero Occurrences Appear in a Sample (Proctor, CH and Luko, SN), May, 245

B

Backtracking
Dynamic Loading Fracture Tests of Ferritic Steel Using the Direct Current Potential Drop Method (Oh, YJ, Kim, JH, and Hwang, IS), May, 221

Biaxial flexure
Test Methodology for Strength Testing of Soda-Lime-Silica Float Glass Before and After Enameling (Krohn, MH, Hellmann, JR, Shelleman, DL, Green, DJ, Sakoske, GE, and Salem, JA), Nov., 470

Bimaterial
Experimental Assessment of Materials for Indirect Surface Texturing (Fletcher, DI, Ali Al-Battashi, S, and Kapoor, A), Nov., 501

Binomial distribution
On Bounding a Near-Zero Probability when Zero Occurrences Appear in a Sample (Proctor, CH and Luko, SN), May, 245

Book review
Review of: Wear Analysis for Engineers (Blau, PJ), Sept., 457

Bridge columns
Investigation of Stress-Strain Relationship of Confined Concrete in Hollow Bridge Columns Using Neural Networks (Mo, YL, Hung, HY, and Zhong, J), July, 330

Brittle fracture
Application of a Relativistic Conservation Equation to Crack Initiation (Ullrich, G), May, 208

Bulk specific gravity
Evaluating the CoreLok™ Measurement of Bulk Specific Gravity for Hot Mix Asphalt Samples (Tarefder, RA, Zaman, MM, and Hobson, K), July, 274

C

Calibration
On the Experimental Calibration of a Potential Drop System for Crack Length Measurements in a Compact Tension Specimen (Belloni, G, Gariboldi, E, Lo Conte, A, Tono, M, and Speranzoso, P), Nov., 461
Sensitivity Evaluation of a Disk-type Torque Transducer Used as a Transfer De-

vice (Ohgushi, K, Ueda, K, Ota, T, and Katase, Y), March, 160

California bearing ratio
California Bearing Ratio Behavior of Cement-Stabilized Fly Ash-Soil Mixes (Pandian, NS and Krishna, KC), Nov., 492

Cavitation
The Fundamental Threshold Level—a New Parameter for Predicting Cavitation Resistance (Soyama, H and Kumano, H), Sept., 421

Cement
California Bearing Ratio Behavior of Cement-Stabilized Fly Ash-Soil Mixes (Pandian, NS and Krishna, KC), Nov., 492

Cigarettes
Evaluating the Quality of Cigarettes by an Electronic Nose System (Xiao-bo, Z and Shou-yi, W), Nov., 532

Code coupling
Simulation of Irradiation Effects in Reactor Pressure Vessel Steels: the Reactor for Virtual Experiments (REVE) Project (Jumel, S, Domain, C, Ruste, J, Van Duysen, JC, Becquart, C, Legris, A, Pareige, P, Barbu, A, van Walle, E, Chaouadi, R, Hou, M, Odette, GR, Stoller, RE, and Wirth, BD), Jan., 37

Cohesion
An Apparatus for Evaluating Adhesion Between Soils and Solid Surfaces (Subba Rao, KS, Allam, MM, and Robinson, RG), Jan., 27

Combustion
Test Method to Determine Flammability of Aerospace Materials (Hirsch, DB and Beeson, HD), March, 156

Compact tension specimens
On the Experimental Calibration of a Potential Drop System for Crack Length Measurements in a Compact Tension Specimen (Belloni, G, Gariboldi, E, Lo Conte, A, Tono, M, and Speranzoso, P), Nov., 461

Comparability of tests
The Relation Between an Extreme Proportion and a Less Extreme Proportion, in the Context of the Comparability of Tests (Hutchinson, TP), May, 255

Composite reinforcements
Evaluation of Bearing Capacity Improvement Using Composite Grids (Sivakumar Babu, GL, Srinivasa Rao, BM, and Sridharan, A), July, 362

Composites
Flexural Characteristics of Sunlight-Aged Polyester Composites: Influence of Processing Variables (López, FS, Ferrer, C, Salvador, MD, and Amigo, V), Jan., 20

Compression testing
Effect of Anisotropy on Compressive and Tensile Properties of Asphalt Mixtures (Mamlouk, MS, Witczak, MW, Kaloush, KE, and Ho, Y-S), Sept., 432

Compressive properties
Instrumental Method to Evaluate Leather Compressive Properties (Chen, Y), May, 258

Compressive settling
Influence of Suction Dissipation on Compression of Compacted Rock Aggregates Due to Immersion (Yoshida, N and Nishi, M), March, 110

Computerized tomography
Using X-ray Computerized Tomography for Characterization of Defects in Cartridge Filters (Maschio, C and Fonseca de Arruda, AC), Jan., 85

Concrete
Analytical Model for Fatigue Crack Propagation in Concrete (Ramsamooj, DV), July, 340
Investigation of Stress-Strain Relationship of Confined Concrete in Hollow Bridge Columns Using Neural Networks (Mo, YL, Hung, HY, and Zhong, J), July, 330

Condoms
Use of Surfactants in Condom Water Leak Testing (Kerr, LN, Mailhot, SA, Boivin, WS, Hamilton, SL, O'Malley, LG, Boyd, SM, Pierdominici, Jr., VJB, and Bushar, HF), July, 313

CoreLok™
Evaluating the CoreLok™ Measurement of Bulk Specific Gravity for Hot Mix Asphalt Samples (Tarefder, RA, Zaman, MM, and Hobson, K), July, 274

Crack analysis
Fatigue Mechanism of Ion-Nitrided Low Carbon Steel (Makabe, C, Makishi, T, and Kaneshiro, H), Sept., 408

Crack growth
On the Experimental Calibration of a Potential Drop System for Crack Length Measurements in a Compact Tension Specimen (Belloni, G, Gariboldi, E, Lo Conte, A, Tono, M, and Speranzoso, P), Nov., 461

Crack initiation
Application of a Relativistic Conservation Equation to Crack Initiation (Ullrich, G), May, 208

Creep damage
Measurement of Creep Damage by the Natural Frequency Method (Ling, X and Tu, S), May, 251

Critical damage value
Measurement of Creep Damage by the Natural Frequency Method (Ling, X and Tu, S), May, 251

D

Defects characterization
Using X-ray Computerized Tomography for Characterization of Defects in Cartridge Filters (Maschio, C and Fonseca de Arruda, AC), Jan., 85

Deterioration
Influence of Suction Dissipation on Compression of Compacted Rock Aggregates Due to Immersion (Yoshida, N and Nishi, M), March, 110

Direct current potential drop
Dynamic Loading Fracture Tests of Ferritic Steel Using the Direct Current Potential Drop Method (Oh, YJ, Kim, JH, and Hwang, IS), May, 221

Direct shear
Staged Compression-Immersion Direct Shear Test on Compacted Crushed Mudstone (Yoshida, N, Enami, K, and Hosokawa, K), May, 239

Distillation tests
Precision and Relative Bias of Automatic and Manual D 1078 Distillation (Montemayor, RG), March, 165

Dry point
Precision and Relative Bias of Automatic and Manual D 1078 Distillation (Montemayor, RG), March, 165

Durability
The Effect of Simulated Clinical Use on Vinyl and Latex Exam Glove Durability (Kerr, LN, Boivin, WS, Chaput, MP, Hamilton, SL, Mailhot, SA, O'Malley, LG, and Teixeira, JC), Sept., 415

Dynamic loading
Dynamic Loading Fracture Tests of Ferritic Steel Using the Direct Current Potential Drop Method (Oh, YJ, Kim, JH, and Hwang, IS), May, 221

Dynamic shear rheometer
Fatigue Testing and Evaluation of Asphalt Binders Using the Dynamic Shear Rheometer (Shenoy, A), July, 303

Dynamic splitting
Photoelastic Evaluation of Stress Fields and Fracture During Dynamic Splitting Experiments (Gomez, JT, Shukla, A, and Sharma, A), May, 186

E

Eccentric compression loading
Compression Loading Applied to Round Double Beam Fracture Specimens. I: Application to Materials with Large Characteristic Lengths (Hanson, JH and Ingraffea, AR), Nov., 508
Compression Loading Applied to Round Double Beam Fracture Specimens. II:

Derivation of Geometry Factor (Hanson, JH and Ingraffea, AR), Nov., 515

Elongation
Ring Hoop Tension Test (RHTT): A Test for Transverse Tensile Properties of Tubular Materials (Wang, H, Bouchard, R, Eagleson, R, Martin, P, and Tyson, WR), Sept., 382

Erosion
The Fundamental Threshold Level—a New Parameter for Predicting Cavitation Resistance (Soyama, H and Kumano, H), Sept., 421

F

Fatigue
An Extrapolation Method for Estimating Crack Growth Rate Confidence Intervals from Small Fatigue Crack Data (Carlson, RL and Halliday, MD), May, 179
Analytical Model for Fatigue Crack Propagation in Concrete (Ramsamooj, DV), July, 340
Fatigue Testing and Evaluation of Asphalt Binders Using the Dynamic Shear Rheometer (Shenoy, A), July, 303
Fatigue Mechanism of Ion-Nitrided Low Carbon Steel (Makabe, C, Makishi, T, and Kaneshiro, H), Sept., 408
Fatigue Performance of Open Drilled Holes with Burrs (Nishimura, T), Nov., 478
The Influence of Laboratory Aging Method on the Rhological Properties of Asphalt Binders (Abbas, A, Choi, BC, Masad, E, and Papagiannakis, T), March, 171

Fatigue crack growth
Fatigue Crack Growth in Cantilever Bending Under Displacement Control (Abd-Allah, NM, Megahed, MM, and Eleiche, AM), March, 124

Fatigue test specimen
Stress Concentration Factor Formulas Useful for All Notch Shapes in a Flat Test Specimen Under Tension and Bending (Noda, NA and Takase, Y), Sept., 369

Finite-element analysis
Compression Loading Applied to Round Double Beam Fracture Specimens. II: Derivation of Geometry Factor (Hanson, JH and Ingraffea, AR), Nov., 515
Evaluation of Sharp Indentation Testing of Thin Films and Ribbons on Hard Substrates (Larsson, PL and Mitre Peterson, IR), Jan., 64
Evaluation of the Uniaxiality of the Stress State in O-Ring Fracture Strength Specimens (Sipics, MJ, Segall, AE, and Conway, Jr, JC), March, 118
Fatigue Crack Growth in Cantilever Bending Under Displacement Control (Abd-Allah, NM, Megahed, MM, and Eleiche, AM), March, 124
Fatigue Performance of Open Drilled Holes with Burrs (Nishimura, T), Nov., 478
Finite-Element Analysis of the Stress Distribution in a Torsion Test of Full-Size, Structural Lumber (Gupta, R, Heck, LR, and Miller, TH), July, 291
Simulation and Prediction of Hardness Performance of Rockwell Diamond Indenters Using Finite-Element Analysis (Ma, L, Low, L, Zhou, J, Song, J, and deWit, R), July, 265

Flammability
Test Method to Determine Flammability of Aerospace Materials (Hirsch, DB and Beeson, HD), March, 156

Flash point
Precision and Equivalence of Automatic and Manual Flash Point Apparatus (Montemayor, RG, Collier, MA, and Lazarczyk, GG), Jan., 74

Flexural properties
Flexural Characteristics of Sunlight-Aged Polyester Composites: Influence of Processing Variables (López, FS, Ferrer, C, Salvador, MD, and Amigo, V), Jan., 20

Fly ash
California Bearing Ratio Behavior of Cement-Stabilized Fly Ash-Soil Mixes (Pandian, NS and Krishna, KC), Nov., 492

Forensic engineering
Retrieval and Interpretation of Crash-Related Data from Nonresponsive Electronic Control Units in Land Vehicle Systems (Rosenbluth, W and Adams, HA), July, 350

Fracture
Evaluation of the Uniaxiality of the Stress State in O-Ring Fracture Strength Specimens (Sipics, MJ, Segall, AE, and Conway, Jr, JC), March, 118
Fatigue Mechanism of Ion-Nitrided Low Carbon Steel (Makabe, C, Makishi, T, and Kaneshiro, H), Sept., 408

Fracture toughness
Application of a Relativistic Conservation Equation to Crack Initiation (Ullrich, G), May, 208
Compression Loading Applied to Round Double Beam Fracture Specimens. I: Application to Materials with Large Characteristic Lengths (Hanson, JH and Ingraffea, AR), Nov., 508
Compression Loading Applied to Round Double Beam Fracture Specimens. II: Derivation of Geometry Factor (Hanson, JH and Ingraffea, AR), Nov., 515

Friction
Experimental Assessment of Materials for Indirect Surface Texturing (Fletcher, DI, Ali Al-Battashi, S, and Kapoor, A), Nov., 501

G

Gas sensor array
Evaluating the Quality of Cigarettes by an Electronic Nose System (Xiao-bo, Z and Shou-yi, W), Nov., 532

Geogrids
Evaluation of Bearing Capacity Improvement Using Composite Grids (Sivakumar Babu, GL, Srinivasa Rao, BM, and Sridharan, A), July, 362

Graphical analysis
The Relation Between an Extreme Proportion and a Less Extreme Proportion, in the Context of the Comparability of Tests (Hutchinson, TP), May, 255

H

Hardness
Evaluation of Sharp Indentation Testing of Thin Films and Ribbons on Hard Substrates (Larsson, PL and Mitre Peterson, IR), Jan., 64
Simulation and Prediction of Hardness Performance of Rockwell Diamond Indenters Using Finite-Element Analysis (Ma, L, Low, L, Zhou, J, Song, J, and deWit, R), July, 265

High-level synthesis
Scheduling of Pipelined Data Paths for On-Line Testability (Ismaeel, AA), March, 146

Hot mix asphalt
Correlating Permanent Deformation Characteristics of Hot Mix Asphalt with Aggregate Geometric Irregularities (Kuo, CY), March, 137
Influence of Hot-Mix Asphalt Parameters on the Correction Factors of the Ignition Oven Test (Sabaaly, PE, Abdel-Magied, O, Dunn, M, and Brinkmeyer, W), May, 228
Measurement of Aggregate Texture and its Influence on Hot Mix Asphalt (HMA) Permanent Deformation (Fletcher, T, Chandan, C, Masad, E, and Sivakumar, K), Nov., 524
Spatial and Directional Distribution of Aggregates in Asphalt Mixes (Saadeh, S, Tashman, L, Masad, E, and Mogawer, W), Nov., 483

Hypergeometric distribution
On Bounding a Near-Zero Probability when Zero Occurrences Appear in a Sample (Proctor, CH and Luko, SN), May, 245

I

Ignition oven method
Influence of Hot-Mix Asphalt Parameters on the Correction Factors of the Ignition Oven Test (Sabaaly, PE, Abdel-Magied, O, Dunn, M, and Brinkmeyer, W), May, 228

Image analysis
Correlating Permanent Deformation Characteristics of Hot Mix Asphalt with Aggregate Geometric Irregularities (Kuo, CY), March, 137
Measurement of Aggregate Texture and its Influence on Hot Mix Asphalt (HMA) Permanent Deformation (Fletcher, T, Chandan, C, Masad, E, and Sivakumar, K), Nov., 524
Spatial and Directional Distribution of Aggregates in Asphalt Mixes (Saadeh, S, Tashman, L, Masad, E, and Mogawer, W), Nov., 483

Immersion
Influence of Suction Dissipation on Compression of Compacted Rock Aggregates Due to Immersion (Yoshida, N and Nishi, M), March, 110
Staged Compression-Immersion Direct Shear Test on Compacted Crushed Mudstone (Yoshida, N, Enami, K, and Hosokawa, K), May, 239

Impact force
The Fundamental Threshold Level—a New Parameter for Predicting Cavitation Resistance (Soyama, H and Kumano, H), Sept., 421

Indentation
Evaluation of Sharp Indentation Testing of Thin Films and Ribbons on Hard Substrates (Larsson, PL and Mitre Peterson, IR), Jan., 64

Index
Erratum, Jan., 92

Initial boiling point
Precision and Relative Bias of Automatic and Manual D 1078 Distillation (Montemayor, RG), March, 165

Interfaces
Measurement of Relative Surface Roughness at Particulate-Continuum Interfaces (DeJong, JT, Frost, JD, and Saussus, DR), Jan., 8

Internal structure
Spatial and Directional Distribution of Aggregates in Asphalt Mixes (Saadeh, S, Tashman, L, Masad, E, and Mogawer, W), Nov., 483

Iron
Verification of Thin-Wall Ductile Iron Test Methodology (Schrems, KK, Dogan, ON, and Hawk, JA), Jan., 47

J

***J*-integral**
Application of a Relativistic Conservation Equation to Crack Initiation (Ullrich, G), May, 208

Joint
Experimental Analysis of Multiple Staple Joints in Selected Wood and Wood-Based Materials (Yadama, V, Zhang, J, Syed, BM, and Steele, PH), Sept., 400

L

Latex
The Effect of Simulated Clinical Use on Vinyl and Latex Exam Glove Durability (Kerr, LN, Boivin, WS, Chaput, MP, Hamilton, SL, Mailhot, SA, O'Malley, LG, and Teixeira, JC), Sept., 415

Leak-before-break
Dynamic Loading Fracture Tests of Ferritic Steel Using the Direct Current Potential Drop Method (Oh, YJ, Kim, JH, and Hwang, IS), May, 221

Leather
Instrumental Method to Evaluate Leather Compressive Properties (Chen, Y), May, 258

Letter from the Editor
Letter from the Editor (Petersen, DR), July, 263

Liquid-metal embrittlement
Liquid-Metal Embrittlement of 7075 Aluminum and 4340 Steel Compact Specimens by Gallium (Kolman, DG and Chavarria, R), Sept., 452

Loss factor
An Acoustical Technique for Determining the Loss Factor of Solid Materials (Ouis, D), Nov., 497

Lumber test
Experimental Evaluation of the Torsion Test for Determining Shear Strength of Structural Lumber (Gupta, R, Heck, LR, and Miller, TH), July, 283

M

Manufacturing variables
Flexural Characteristics of Sunlight-Aged Polyester Composites: Influence of Processing Variables (López, FS, Ferrer, C, Salvador, MD, and Amigo, V), Jan., 20

Mechanical anisotropy
Plastic Instability and Mechanical Anisotropy of Textured Zinc (Samba Siva Rao, G, Godavarti, PS, Mahmood, ST, and Linga Murty, K), May, 197

Mechanical properties
Effect of the Aging of the "Product/Package" System on the Mechanical Properties of Plastic Packaging (Ayad, R, Safa, L, and Marull, S), Jan., 55
Verification of Thin-Wall Ductile Iron Test Methodology (Schrems, KK, Dogan, ON, and Hawk, JA), Jan., 47

Medical gloves
The Effect of Simulated Clinical Use on Vinyl and Latex Exam Glove Durability (Kerr, LN, Boivin, WS, Chaput, MP, Hamilton, SL, Mailhot, SA, O'Malley, LG, and Teixeira, JC), Sept., 415

Metalworking fluids
Data Supporting a Provisional ASTM Method for Metalworking Fluids (Glaser, RA, Shulman, S, Kurimo, R, and Piacitelli, G), Sept., 439

Methane hydrate
Synthesis of Methane Hydrate in an Unconsolidated Medium (Siriwardane, HJ and Smith, DH), Jan., 1

Microgravity
Test Method to Determine Flammability of Aerospace Materials (Hirsch, DB and Beeson, HD), March, 156

Misclassification error
On Bounding a Near-Zero Probability when Zero Occurrences Appear in a Sample (Proctor, CH and Luko, SN), May, 245

Monte Carlo simulation
Enhancement of Asphalt Pavement Evaluation Using Monte Carlo Simulation and Accelerated Pavement Testing (Li, S, Li, Y, and Metcalfe, JB), Sept., 392

Mudstone
Influence of Suction Dissipation on Compression of Compacted Rock Aggregates Due to Immersion (Yoshida, N and Nishi, M), March, 110
Staged Compression-Immersion Direct Shear Test on Compacted Crushed Mudstone (Yoshida, N, Enami, K, and Hosokawa, K), May, 239

N

Neural network
Evaluating the Quality of Cigarettes by an Electronic Nose System (Xiao-bo, Z and Shou-yi, W), Nov., 532
Investigation of Stress-Strain Relationship of Confined Concrete in Hollow Bridge Columns Using Neural Networks (Mo, YL, Hung, HY, and Zhong, J), July, 330

Natural frequency method
Measurement of Creep Damage by the Natural Frequency Method (Ling, X and Tu, S), May, 251

Nondestructive testing
An Acoustical Technique for Determining the Loss Factor of Solid Materials (Ouis, D), Nov., 497

Notch shapes
Stress Concentration Factor Formulas Useful for All Notch Shapes in a Flat Test Specimen Under Tension and Bending (Noda, NA and Takase, Y), Sept., 369

O

Ordered categories
The Relation Between an Extreme Proportion and a Less Extreme Proportion, in the Context of the Comparability of Tests (Hutchinson, TP), May, 255

O-ring
Evaluation of the Uniaxiality of the Stress State in O-Ring Fracture Strength Specimens (Sipics, MJ, Segall, AE, and Conway, Jr, JC), March, 118

P

Particle fracture
The Relation Between an Extreme Proportion and a Less Extreme Proportion, in the Context of the Comparability of Tests (Hutchinson, TP), May, 255

Particle image velocimetry
Visualization of Localization in Grain Skeletons with Particle Image Velocimetry (Nübel, K and Weitbrecht, V), July, 322

Pavement
Model-fitting the Master Curves of the Dynamic Shear Rheometer Data to Extract a Rut-Controlling Term for Asphalt Pavements (Shenoy, A), March, 95

Pavement performance
Evaluation of an Accelerated Pavement Testing Facility and Development of its Load Equivalence Factors (Chen, J-S and Lin, KY), March, 103

Pavement testing facility
Evaluation of an Accelerated Pavement Testing Facility and Development of its Load Equivalence Factors (Chen, J-S and Lin, KY), March, 103

Pensky-Martens Closed Cup
Precision and Equivalence of Automatic and Manual Flash Point Apparatus (Montemayor, RG, Collier, MA, and Lazarczyk, GG), Jan., 74

Permanent deformation
Correlating Permanent Deformation Characteristics of Hot Mix Asphalt with Aggregate Geometric Irregularities (Kuo, CY), March, 137

Photoelasticity
Photoelastic Evaluation of Stress Fields and Fracture During Dynamic Splitting Experiments (Gomez, JT, Shukla, A, and Sharma, A), May, 186

Photographic methods
Visualization of Localization in Grain Skeletons with Particle Image Velocimetry (Nübel, K and Weitbrecht, V), July, 322

Pipelined data path
Scheduling of Pipelined Data Paths for On-Line Testability (Ismaeel, AA), March, 146

Plastics
Effect of the Aging of the "Product/Package" System on the Mechanical Properties of Plastic Packaging (Ayad, R, Safa, L, and Marull, S), Jan., 55

Plate load tests
Evaluation of Bearing Capacity Improvement Using Composite Grids (Sivakumar Babu, GL, Srinivasa Rao, BM, and Sridharan, A), July, 362

Poisson distribution
On Bounding a Near-Zero Probability when Zero Occurrences Appear in a Sample (Proctor, CH and Luko, SN), May, 245

Pressure tubes
Ring Hoop Tension Test (RHTT): A Test for Transverse Tensile Properties of Tubular Materials (Wang, H, Bouchard, R, Eagleson, R, Martin, P, and Tyson, WR), Sept., 382

R

Reactor pressure vessels
Simulation of Irradiation Effects in Reactor Pressure Vessel Steels: the Reactor for Virtual Experiments (REVE) Project (Jumel, S, Domain, C, Ruste, J, Van Duysen, JC, Becquart, C, Legris, A, Pareige, P, Barbu, A, van Walle, E, Chaouadi, R, Hou, M, Odette, GR, Stoller, RE, and Wirth, BD), Jan., 37

Recommended exposure level
Data Supporting a Provisional ASTM Method for Metalworking Fluids (Glaser, RA, Shulman, S, Kurimo, R, and Piacitelli, G), Sept., 439

Refractometers
Precision and Relative Bias of Automatic and Manual Refractometers Using ASTM D 1218 at 20°C (Montemayor, RG), Jan., 89

Reliability
Enhancement of Asphalt Pavement Evaluation Using Monte Carlo Simulation and Accelerated Pavement Testing (Li, S, Li, Y, and Metcalfe, JB), Sept., 392

Repeatability
Precision and Relative Bias of Automatic and Manual Refractometers Using ASTM D 1218 at 20°C (Montemayor, RG), Jan., 89

Reproducibility
Precision and Relative Bias of Automatic and Manual Refractometers Using ASTM D 1218 at 20°C (Montemayor, RG), Jan., 89

REVE project
Simulation of Irradiation Effects in Reactor Pressure Vessel Steels: the Reactor for Virtual Experiments (REVE) Project (Jumel, S, Domain, C, Ruste, J, Van Duysen, JC, Becquart, C, Legris, A, Pareige, P, Barbu, A, van Walle, E, Chaouadi, R, Hou, M, Odette, GR, Stoller, RE, and Wirth, BD), Jan., 37

Reverbration time
An Acoustical Technique for Determining the Loss Factor of Solid Materials (Ouis, D), Nov., 497

Ring specimen
Ring Hoop Tension Test (RHTT): A Test for Transverse Tensile Properties of Tubular Materials (Wang, H, Bouchard, R, Eagleson, R, Martin, P, and Tyson, WR), Sept., 382

Rockwell C Hardness
Simulation and Prediction of Hardness Performance of Rockwell Diamond Indenters Using Finite-Element Analysis (Ma, L, Low, L, Zhou, J, Song, J, and deWit, R), July, 265

Roughness parameters
Measurement of Relative Surface Roughness at Particulate-Continuum Interfaces (DeJong, JT, Frost, JD, and Saussus, DR), Jan., 8

Round double beam specimen
Compression Loading Applied to Round Double Beam Fracture Specimens. I: Application to Materials with Large Characteristic Lengths (Hanson, JH and Ingraffea, AR), Nov., 508
Compression Loading Applied to Round Double Beam Fracture Specimens. II: Derivation of Geometry Factor (Hanson, JH and Ingraffea, AR), Nov., 515

S

Saturated surface dry method
Evaluating the CoreLok™ Measurement of Bulk Specific Gravity for Hot Mix Asphalt Samples (Tarefder, RA, Zaman, MM, and Hobson, K), July, 274

Scaling strength data
Test Methodology for Strength Testing of Soda-Lime-Silica Float Glass Before and After Enameling (Krohn, MH, Hellmann, JR, Shelleman, DL, Green, DJ, Sakoske, GE, and Salem, JA), Nov., 470

Scheduling
Scheduling of Pipelined Data Paths for On-Line Testability (Ismaeel, AA), March, 146

Shear failures
Experimental Evaluation of the Torsion Test for Determining Shear Strength of Structural Lumber (Gupta, R, Heck, LR, and Miller, TH), July, 283

Shear localization
Visualization of Localization in Grain Skeletons with Particle Image Velocimetry (Nübel, K and Weitbrecht, V), July, 322

Shear modeling
Finite-Element Analysis of the Stress Distribution in a Torsion Test of Full-Size, Structural Lumber (Gupta, R, Heck, LR, and Miller, TH), July, 291

Simulation
Simulation of Irradiation Effects in Reactor Pressure Vessel Steels: the Reactor for Virtual Experiments (REVE) Project (Jumel, S, Domain, C, Ruste, J, Van Duysen, JC, Becquart, C, Legris, A, Pareige, P, Barbu, A, van Walle, E, Chaouadi, R, Hou, M, Odette, GR, Stoller, RE, and Wirth, BD), Jan., 37

Size effects
Analytical Model for Fatigue Crack Propagation in Concrete (Ramsamooj, DV), July, 340

Small cracks
An Extrapolation Method for Estimating Crack Growth Rate Confidence Intervals from Small Fatigue Crack Data (Carlson, RL and Halliday, MD), May, 179

Soils
An Apparatus for Evaluating Adhesion Between Soils and Solid Surfaces (Subba Rao, KS, Allam, MM, and Robinson, RG), Jan., 27

Sorption
Effect of the Aging of the "Product/Package" System on the Mechanical Properties of Plastic Packaging (Ayad, R, Safa, L, and Marull, S), Jan., 55

Split Hopkinson Presure Bar
Photoelastic Evaluation of Stress Fields and Fracture During Dynamic Splitting Experiments (Gomez, JT, Shukla, A, and Sharma, A), May, 186

Staged compression
Staged Compression-Immersion Direct Shear Test on Compacted Crushed Mudstone (Yoshida, N, Enami, K, and Hosokawa, K), May, 239

Staples
Experimental Analysis of Multiple Staple Joints in Selected Wood and Wood-Based Materials (Yadama, V, Zhang, J, Syed, BM, and Steele, PH), Sept., 400

Steels
Liquid-Metal Embrittlement of 7075 Aluminum and 4340 Steel Compact Specimens by Gallium (Kolman, DG and Chavarria, R), Sept., 452
Simulation of Irradiation Effects in Reactor Pressure Vessel Steels: the Reactor for Virtual Experiments (REVE) Project (Jumel, S, Domain, C, Ruste, J, Van Duysen, JC, Becquart, C, Legris, A, Pareige, P, Barbu, A, van Walle, E, Chaouadi, R, Hou, M, Odette, GR, Stoller, RE, and Wirth, BD), Jan., 37

Stress concentration
Fatigue Performance of Open Drilled Holes with Burrs (Nishimura, T), Nov., 478

Stress concentration factor
Stress Concentration Factor Formulas Useful for All Notch Shapes in a Flat Test Specimen Under Tension and Bending (Noda, NA and Takase, Y), Sept., 369

Stress intensity
Compression Loading Applied to Round Double Beam Fracture Specimens. II: Derivation of Geometry Factor (Hanson, JH and Ingraffea, AR), Nov., 515
Fatigue Crack Growth in Cantilever Bending Under Displacement Control (Abd-Allah, NM, Megahed, MM, and Eleiche, AM), March, 124

Surface texture
Measurement of Relative Surface Roughness at Particulate-Continuum Interfaces (DeJong, JT, Frost, JD, and Saussus, DR), Jan., 8

Surface texturing
Experimental Assessment of Materials for Indirect Surface Texturing (Fletcher, DI, Ali Al-Battashi, S, and Kapoor, A), Nov., 501

Surfactant
Use of Surfactants in Condom Water Leak Testing (Kerr, LN, Mailhot, SA, Boivin, WS, Hamilton, SL, O'Malley, LG, Boyd, SM, Pierdominici, Jr., VJB, and Bushar, HF), July, 313

T

Table of Contents
Erratum, Jan., 92

Tag Closed Cup
Precision and Equivalence of Automatic and Manual Flash Point Apparatus (Montemayor, RG, Collier, MA, and Lazarczyk, GG), Jan., 74

Tensile
Plastic Instability and Mechanical Anisotropy of Textured Zinc (Samba Siva Rao, G, Godavarti, PS, Mahmood, ST, and Linga Murty, K), May, 197

Tensile strength
Photoelastic Evaluation of Stress Fields and Fracture During Dynamic Splitting Experiments (Gomez, JT, Shukla, A, and Sharma, A), May, 186

Tension testing
Effect of Anisotropy on Compressive and Tensile Properties of Asphalt Mixtures (Mamlouk, MS, Witczak, MW, Kaloush, KE, and Ho, Y-S), Sept., 432
Stress Concentration Factor Formulas Useful for All Notch Shapes in a Flat Test Specimen Under Tension and Bending (Noda, NA and Takase, Y), Sept., 369

Test road
Evaluation of an Accelerated Pavement Testing Facility and Development of its Load Equivalence Factors (Chen, J-S and Lin, KY), March, 103

Testability
Scheduling of Pipelined Data Paths for On-Line Testability (Ismaeel, AA), March, 146

Texture
Experimental Assessment of Materials for Indirect Surface Texturing (Fletcher, DI, Ali Al-Battashi, S, and Kapoor, A), Nov., 501
Measurement of Aggregate Texture and its Influence on Hot Mix Asphalt (HMA) Permanent Deformation (Fletcher, T, Chandan, C, Masad, E, and Sivakumar, K), Nov., 524
Plastic Instability and Mechanical Anisotropy of Textured Zinc (Samba Siva Rao, G, Godavarti, PS, Mahmood, ST, and Linga Murty, K), May, 197

Thin films
Evaluation of Sharp Indentation Testing of Thin Films and Ribbons on Hard Substrates (Larsson, PL and Mitre Peterson, IR), Jan., 64

Threshold level
The Fundamental Threshold Level—a New Parameter for Predicting Cavitation Resistance (Soyama, H and Kumano, H), Sept., 421

Timber
Experimental Evaluation of the Torsion Test for Determining Shear Strength of Structural Lumber (Gupta, R, Heck, LR, and Miller, TH), July, 283
Finite-Element Analysis of the Stress Distribution in a Torsion Test of Full-Size, Structural Lumber (Gupta, R, Heck, LR, and Miller, TH), July, 291

Torque transducer
Sensitivity Evaluation of a Disk-type Torque Transducer Used as a Transfer Device (Ohgushi, K, Ueda, K, Ota, T, and Katase, Y), March, 160

Tube hydroforming
Ring Hoop Tension Test (RHTT): A Test for Transverse Tensile Properties of Tubular Materials (Wang, H, Bouchard, R, Eagleson, R, Martin, P, and Tyson, WR), Sept., 382

U

Upper confidence bound
On Bounding a Near-Zero Probability when Zero Occurrences Appear in a Sample (Proctor, CH and Luko, SN), May, 245

V

Vibration
An Acoustical Technique for Determining the Loss Factor of Solid Materials (Ouis, D), Nov., 497

Vinyl
The Effect of Simulated Clinical Use on Vinyl and Latex Exam Glove Durability (Kerr, LN, Boivin, WS, Chaput, MP, Hamilton, SL, Mailhot, SA, O'Malley, LG, and Teixeira, JC), Sept., 415

W

Water leak test
Use of Surfactants in Condom Water Leak Testing (Kerr, LN, Mailhot, SA, Boivin, WS, Hamilton, SL, O'Malley, LG, Boyd, SM, Pierdominici, Jr., VJB, and Bushar, HF), July, 313

Wear
Experimental Assessment of Materials for Indirect Surface Texturing (Fletcher, DI, Ali Al-Battashi, S, and Kapoor, A), Nov., 501
Review of: Wear Analysis for Engineers (Blau, PJ), Sept., 457

Weibull statistics
Test Methodology for Strength Testing of Soda-Lime-Silica Float Glass Before and After Enameling (Krohn, MH, Hellmann, JR, Shelleman, DL, Green, DJ, Sakoske, GE, and Salem, JA), Nov., 470

Wood engineering
Experimental Analysis of Multiple Staple Joints in Selected Wood and Wood-Based Materials (Yadama, V, Zhang, J, Syed, BM, and Steele, PH), Sept., 400
Experimental Evaluation of the Torsion Test for Determining Shear Strength of Structural Lumber (Gupta, R, Heck, LR, and Miller, TH), July, 283
Finite-Element Analysis of the Stress Distribution in a Torsion Test of Full-Size, Structural Lumber (Gupta, R, Heck, LR, and Miller, TH), July, 291

Z

Zinc
Plastic Instability and Mechanical Anisotropy of Textured Zinc (Samba Siva Rao, G, Godavarti, PS, Mahmood, ST, and Linga Murty, K), May, 197